## **CLAIMS**

- 1. An isolated polypeptide molecule having at least about 80% identity with
  - a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
    - b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11;

wherein the isolated polypeptide molecule allows fish to sense ion concentrations.

10

5

- 2. An isolated polypeptide molecule having at least about 90% identity with
  - a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
  - b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11;
- wherein the isolated polypeptide molecule allows fish to sense ion concentrations.
  - 3. An isolated polypeptide molecule having at least about 80% identity with
    - a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
- b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11;

wherein the isolated polypeptide molecule assists fish in adapting to changing ion concentrations by altering water intake, water absorption or urine output.

- An isolated polypeptide molecule having at least about 90% identity with
  - a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
  - b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11;

wherein the isolated polypeptide molecule assists fish in adapting to changing ion concentrations by altering water intake, water absorption or urine output.

- 5. An isolated polypeptide molecule having at least about 80% identity with
  - a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
    - b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11; wherein the isolated polypeptide molecule allows a fish to modulate the percentage of total fat, protein and moisture of muscle.

10

5

- 6. An isolated polypeptide molecule having at least about 90% identity with
  - a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
  - b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11;
- wherein the isolated polypeptide molecule allows a fish to modulate the percentage of total fat, protein and moisture of muscle.
  - 7. An isolated polypeptide molecule having an amino acid sequence that comprises:
- a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
  - b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11.
  - 8. A polypeptide purified from a clone deposited under ATCC No.: 209602.

- 9. An antibody that specifically binds to a polypeptide molecule having an amino acid sequence that comprises:
  - a) SEQ ID NOs.2, 4, 6, 8, 10, or 12; or
- b) an amino acid sequence encoded by the nucleic acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, or 11.
- 10. A method of screening for Aquatic polyvalent cation-sensing receptor agonists and antagonists comprising measuring water reabsorption in isolated urinary bladder comprising the steps of:
- a) isolating flounder urinary bladder containing an Aquatic polyvalent cation-sensing receptor;
  - b) weighing the isolated bladder to obtain a preexperiment weight;
  - c) exposing the isolated bladder to a solution containing a test compound under conditions for a time sufficient for the test compound to agonize or antagonize the Aquatic polyvalent cation-sensing receptor present in the isolated bladder; and
  - d) weighing the bladder after the experimental period to obtain a post-experiment weight, wherein the difference of pre and post experiment weights of the bladder are an indication of water reabsorption.

20

15

5